

SAFETY DATA SHEET

Section 1. Identif	fica	ition				
Product name	:	EXPO White Board Care				
Material uses	:	Cleaning solutions.				
Manufacturer	:	Newell Brands, Inc. 6655 Peachtree Dunwoody Sandy Springs, GA 30328 USA 800-323-0749	Road			
Emergency telephone number (with hours of operation)		CHEMTREC (U.S. and Can	ada) 1-800-424-9300			
Section 2. Hazar	ds	identification				
OSHA/HCS status	:	While this material is not co Standard (29 CFR 1910.120 safe handling and proper us for employees and other us	00), this SDS contains vise of the product. This S	aluable inform	ation critical to the	
Classification of the substance or mixture	:	Not classified.				
GHS label elements						
Signal word	: No signal word.					
Hazard statements	:	No known significant effects	or critical hazards.			
Precautionary statements	È					
Prevention	:	Not applicable.				
Response	:	Not applicable.				
Storage	:	Not applicable.				
Disposal	:	Not applicable.				
Hazards not otherwise classified	:	None known.				
						
Section 3. Comp	osi	tion/information	on ingredients	;		
Substance/mixture	:	Mixture				
Ingredient name			%		CAS number	
(2-methoxymethylethoxy)pro	opan	ol	≤3		34590-94-8	
Any concentration shown as	a rai	nge is to protect confidentiality	or is due to batch varia	ation.		
		ents present which, within classified as hazardous to				

Date of issue/Date of revision :10/17/2019 Date of previous issue :10/9/2019 Version :2 1/8

EXPO White Board Care

Section 4. First aid measures

Description of necessary first aid measures

Eye contact : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.

occurs.

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.

Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.

Skin contact Ingestion

Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce orwinting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and delayed

Potential acute health effects
Eye contact : : No known significant effects or critical hazards. Inhalation No known significant effects or critical hazards. No known significant effects or critical hazards. Skin contact : No known significant effects or critical hazards

Ingestion
Over-exposure sig
Eye contact
Inhalation oms

: No specific data. : No specific data. Skin contact No specific data. Ingestion : No specific data.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician : Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

Specific treatments : No specific treatment.

: No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media : Use an extinguishing agent suitable for the surrounding fire.

: In a fire or if heated, a pressure increase will occur and the container may burst.

Specific hazards arising from the chemical
Hazardous thermal decomposition products

Decomposition products may include the following materials: carbon dioxide carbon monoxide

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Special protective equipment for fire-fighters

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Date of issue/Date of revision : 10/17/2019 Date of previous issue : 10/9/2019

EXPO White Board Care	EXPO	White	Board	Care
-----------------------	------	-------	-------	------

Section 6. Accidental release measures

tive equipment and emergency procedures
: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.

In Specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Environmental precautions

Methods and materials for containment and cleaning up

Small spill

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

uspusa contractor.

Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, verniculitie or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling Protective measures

Advice on general occupational hygiene

Large spill

Put on appropriate personal protective equipment (see Section 8).

Fat or appropriate personal protective equipment (see section 6). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated toldhing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene

Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container égithy closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental containmination.

Section 8. Exposure controls/personal protection

Control parameters
Occupational exposure limits
(2-methoxymethylethoxy)propanol

ACGIH TLV (United States, 3/2016). Absorbed through ekin.
TWA. 100 pm is hours.
TWA. 100 pm is hours.
TWA. 606 mg/m 8 hours.
STEL: 150 pm 15 minutes.
STEL: 909 mg/m 15 minutes.
STEL: 909 mg/m 15 minutes.
OSHA PEL 1998 (United States, 3/1989). Absorbed through skin.
TWA: 100 pm is hours.
TWA: 600 mg/m 16 hours.
STEL: 150 pm 15 minutes.
STEL: 500 mg/m 15 minutes.

Date of issue/Date of revis 10/17/2019 Date of previous issue 10/9/2019 3/8

Section 8. Exposure controls/personal protection

PCTION
NIOSH REL (United States, 10/2013).
Absorbed through skin.
TWA: 100 ppm 10 hours.
TWA: 600 mg/m² 10 hours.
TWA: 600 mg/m² 10 hours.
STEL: 150 ppm 15 minutes.
STEL: 900 mg/m² 15 minutes.
STEL: 900 mg/m² 15 minutes.
OSHA PEL (United States, 6/2016).
Absorbed through skin.
TWA: 100 ppm 8 hours.
TWA: 600 mg/m² 8 hours.

Appropriate engineering controls

Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Environmental exposure controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume sorubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection mea

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unsite the assessment indicates a higher degree of protection: safety glasses with sideshields.

Hand protection

Body protection

Other skin protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Respiratory protection

Section 9. Physical and chemical properties

Physical state Color : Liquid. : Clear. Colorless. Odor Not available. Odor threshold Not available. pH Melting point 9 to 10 Not available.

Boiling point Flash point Not available. Closed cup: 61 to 93.3°C (141.8 to 199.9°F)

Burning time Not applicable.

Date of issue/Date of re : 10/17/2019 Date of previous issue 10/9/2019

Section 9. Physical and chemical properties

Section 9. Physical Burning rate Evaporation rate Flammability (solid, gas) Lower and upper explosive (flammable) limits Vapor pressure Vapor density Relative density Solubility in water Partition coefficient: noctanol/water Auto-ignition temperature Not applicable Not available. : Not available: : Not available. : Not available. Not available. Not available. Not available. Not available. : Not available. Auto-ignition temperature Decomposition temperature SADT : Not available. Not available. Not available.

Viscosity : Dynamic (room temperature): 1.4 to 1.6 mPa·s (1.4 to 1.6 cP) Aerosol product

Section 10. Stability and reactivity

No specific test data related to reactivity available for this product or its ingredients

Chemical stability : The product is stable.

Possibility of hazardous reactions

: Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to avoid : No specific data. Incompatible materials : No specific data.

Hazardous decomposition : Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

No known significant effects or critical hazards.

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
(2-methoxymethylethoxy) propanol	Eyes - Mild irritant	Human	-	8 milligrams	-
brahama.	Eyes - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
	Skin - Mild irritant	Rabbit	-	500 milligrams	-

Sensitization

No known significant effects or critical hazards.

Mutagenicity

No known significant effects or critical hazards.

Date of issue/Date of revision	: 10/17/2019	Date of previous issue	: 10/9/2019	Version : 2	5/8

Section 11. Toxicological information

No known significant effects or critical hazards.

Reproductive toxicity

No known significant effects or critical hazards.

Teratogenicity

No known significant effects or critical hazards.

Specific target organ toxicity (single exposure)

Name		Route of exposure	Target organs
(2-methoxymethylethoxy)propanol	Category 3		Respiratory tract irritation

Specific target organ toxicity (repeated exposure) No known significant effects or critical hazards.

Aspiration hazard

No known significant effects or critical hazards.

Information on the likely : Not available. routes of exposure

Delayed and immediate effects and also chronic effects from short and long term exposure
Short term exposure
Potential immediate : Not available.
effects
Potential delayed effects : Not available.
Long term exposure
Potential immediate : Not available.
effects

Reseating delayed effects : Not available.

Reseating delayed effects : Not available.

effects
Potential delayed effects : Not available.

Potential chronic health effects
General : No known significant effects or critical hazards.
Carcinogenicity : No known significant effects or critical hazards.
Mutagenicity : No known significant effects or critical hazards.
Teratogenicity : No known significant effects or critical hazards.
Developmental effects
S No known significant effects or critical hazards.
Fertility effects : No known significant effects or critical hazards.

Numerical measures of toxicity Acute toxicity estimates

Route	ATE value
Dermal	80785.8 mg/kg

Date of issue/Date of revision : 10/17/2019 Date of previous issue : 10/9/2019 Version :2 6/8

Section 12. Ecological information

Persistence and degradability

No known significant effects or critical hazards.

Bioaccumulative potential

Product/ingredient name	LogP _{ow}	BCF	Potential
(2-methoxymethylethoxy) propanol	0.004	-	low

Other adverse effects

: No known significant effects or critical hazards.

Section 13. Disposal considerations

: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untrateded to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

	DOT Classification	TDG Classification	Mexico Classification	IMDG	IATA
UN number	Not regulated.	Not regulated.	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-	-	-
Transport hazard class(es)	-	-	-	-	-
Packing group	-	-	-	-	-
Environmental hazards	No.	No.	No.	No.	No.
Additional information	-	-	-	-	-

Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Date of issue/Date of revision : 10/17/2019 Date of previous issue : 10/9/2019 Version :2 7/8 EXPO White Board Care

Section 15. Regulatory information

U.S. Federal regulations SARA 311/312 : United States inventory (TSCA 8b): All components are listed or exempted.

Classification : Not applicable.

Name		hazard	Sudden release of pressure		(acute) health	Delayed (chronic) health hazard
(2-methoxymethylethoxy)propanol	2	No.	No.	No.	Yes.	No.

California Prop. 65

This product does not contain Chemicals known to State of California to cause cancer, birth defects, or reproductive harm.

: Class D-2B: Material causing other toxic effects (Toxic).

Canada
WHMIS (Canada)
Canadian lists
Canadian NPRI
CEPA Toxic substances : The following components are listed: Propylene glycol butyl ether : None of the components are listed.

Canada inventory : Not determined. Section 16. Other information

History
Date of issue/Date of revision : 10/17/2019

revision
Date of previous issue
Version
Prepared by
Key to abbreviations : 10/9/2019 2 Product Safety.

Froduct Safety,
ATE = Acute Toxicity Estimate
BCF = Bicconcentration Factor
GRIS = Globally Harmonized System of Classification and Labelling of Chemicals
IATA = International Air Transport Association
IMDG = International Maritime Dangerous Goods
LogPow = logarithm of the octanol/water partition coefficient
UN = United Nations

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations. The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions. It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations. The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.